## PATENT ABSTRACTS OF JAPAN

(11) Publication number:

2000-023959

(43) Date of publication of application: 25.01.2000

(51)Int.CI.

A61B 6/00 1/44

H05G

(21)Application number: 10-198906

(71)Applicant: SHIMADZU CORP

(22)Date of filing:

14.07.1998


(72)Inventor:

KATAYAMA TOMOMI

## (54) RADIOGRAPHIC INSTRUMENT

## (57)Abstract:

PROBLEM TO BE SOLVED: To provide a radiographic instrument in which a plurality of phototimer photocell parts are automatically selected simply when a subject touches an imaging table while taking an imaging position. SOLUTION: When a subject 3 touches a touch panel 4 while taking an imaging position, its signal urges the CPU of a touch panel controller 17 to compute X-Y coordinates to recognize a contact surface and to select an optimum phototimer photocell part from a plurality of phototimer photocell parts while automatically switching a selector switch 18 to start imaging. Xrays from an X-ray tube 1 are constricted by a collimator 2, are transmitted through the subject 3 as scattered rays are eliminated by a grid 6, and converted into an optical image by a fluoroscopic plate 7. Only a specific portion of light emitted through lead glass is captured by the phototimer photocell part 5 and its electric signals are integrated by an integrating capacitor 12, with its voltage and the reference voltage of a density setter 14 both inputted to a comparator 13; when both of the voltages are the same, a high-voltage shutoff signal is fed to a switch 15 to shut off the high voltage of an X-ray high voltage generator 16 to stop X-ray radiation, thus making it possible to take radiograph at the optimum density.



#### **LEGAL STATUS**

[Date of request for examination]

[Date of sending the examiner's decision of rejection]

[Kind of final disposal of application other than the examiner's decision of rejection or application converted registration]

[Date of final disposal for application]

[Patent number]

[Date of registration]

[Number of appeal against examiner's decision of rejection]

[Date of requesting appeal against examiner's decision of rejection]

[Date of extinction of right]

## \* NOTICES \*

JPO and NCIPI are not responsible for any damages caused by the use of this translation.

- 1. This document has been translated by computer. So the translation may not reflect the original precisely.
- 2.\*\*\*\* shows the word which can not be translated.
- 3.In the drawings, any words are not translated.

#### **CLAIMS**

[Claim(s)]

[Claim 1] In the X-rays equipment equipped with two or more phototimer light sensing portions which detect the transparency X-ray of analyte, and the phototimer control circuit which sends an X-ray cutoff signal to a high-voltage apparatus when the integral value of the electrical signal from a phototimer light sensing portion reaches reference voltage X-rays equipment characterized by having the means which can choose automatically the phototimer light sensing portion which prepared the touch panel which detects analyte posture in the X-ray input screen of a camera base, and was suitable for analyte posture from said two or more phototimer light sensing portions with the detecting signal of a touch panel.

[Translation done.]

\* NOTICES \*

JPO and NCIPI are not responsible for any damages caused by the use of this translation.

- I. This document has been translated by computer. So the translation may not reflect the original precisely.
- 2.\*\*\*\* shows the word which can not be translated.
- 3.In the drawings, any words are not translated.

#### DETAILED DESCRIPTION

[Detailed Description of the Invention]

[Field of the Invention] Especially this invention relates to the automatic exposure control which controls automatically the film density at the time of X photography the optimal about X-rays equipment.

[Description of the Prior Art] The automatic-exposure-control equipment in X photography is used for almost all photofluorography, and is widely used also for the radiograph of a thorax, an abdomen, etc. Automatic-exposure-control equipment operates so that film density may be kept constant by controlling exposure time automatically, it changes into an electrical signal X dosage which penetrated analyte, when this quantity of electricity reaches constant value, an X-ray tends to be intercepted, and it is going to obtain the film density to wish. [0003] The X-rays equipment of automatic exposure control using the mirror camera MC for X-ray photofluorography used for the mass screening of the conventional thorax is explained to <u>drawing 6</u>. The X-ray beam from X-ray tube 1 is irradiated by required visual field size with a collimator 2 at the rat tail analyte 3. The scattered radiation is removed by the grid 6, and incidence of the X-ray which penetrated analyte 3 is carried out to a fluorescent screen 7, and it is changed into a light figure by the transparency X-ray. The lead glass 8 for X-ray protection is formed behind that fluorescent screen 7, and the light figure of a fluorescent screen 7 carries out image formation to the film plane of a camera 11 with the mirror lens 10 in a hood 9 through this lead glass 8. On the other hand, two or more phototimer light sensing portions 5 are formed in the interior of the front upper part of the hood 9 of this mirror camera MC, and it is set as the device in which each phototimer light sensing portion 5 can receive the light of the specific region of the luminescence side of a fluorescent screen 7. Therefore, before taking a photograph, a way person chooses one of the phototimer light sensing portions 5 corresponding to the specific region suitable for a photography part manually on a control panel (change-over switch 18 of <u>drawing 6</u>). [0004] Arrangement of the specific region suitable for the photography part in the thorax photography to <u>drawing 7</u> was shown. In th

[0004] Arrangement of the specific region suitable for the photography part in the thorax photography to drawing 7 was shown. In the object for thorax transverse planes, two light sensing portions 25 for thorax transverse planes of a part with the wide width of face of both lungs are used, and the light sensing portion 26 for thorax side faces of a longwise central part is used at the object for thorax side faces. During photography, the selected phototimer light sensing portion 5 catches the light of the specific region of a luminescence side, and detects it as a current signal proportional to X dosage. This current signal is inputted into a phototimer control section (control section which consists of a change-over switch 18, an integrating capacitor 12, a concentration setting calibration master 14, a comparator 13, and a switch 15), and it integrates with it to the integrating capacitor 12 of this phototimer control section, and it is inputted into a comparator 13 as a voltage signal. On the other hand, a comparator 13 outputs an X-ray cutoff signal to a switch 15, when the voltage signal and reference voltage with which it integrated from the concentration setter 14 with reference to the reference voltage which determines the concentration of a film are compared and both are in agreement. In response to this signal, the X-ray high-voltage transformer assembly 16 intercepts the high voltage, and stops the X-ray emission from X-ray tube 1.

[Problem(s) to be Solved by the Invention] Although the conventional X-rays equipment is constituted as mentioned above, since it corresponds to various posture of analyte, two or more light sensing portions are prepared, the way person has switched the phototimer light sensing portion 5 manually on the control panel before photography, before various activities of ID registration of analyte, a photography electrical potential difference, a setup of a photography current, etc. taking a photograph, there is, and there is a problem of mistaking a change-over of the phototimer light sensing portion 5. When there is much subject, such as a thorax mass screening, in order to prevent the change-over mistake of a light sensing portion, when the light sensing portion for side faces is chosen, in photography of a thorax transverse plane and a thorax side face, approaches, such as sounding a buzzer, are taken, but there is a problem that a way person has to switch manually in that case.

[0006] This invention aims at offering the X-rays equipment which can do a change-over automatically, even if it is made in view of such a situation and a way person does not switch the phot timer light sensing portion 5 manually.

[0007]

[Means for Solving the Problem] In order to attain the above-mentioned purpose, the X-rays equipment of this invention In the X-rays equipment equipped with two or more phototimer light sensing portions which detect the transparency X-ray of analyte, and the phototimer control circuit which sends an X-ray cutoff signal to a high-voltage apparatus when the integral value of the electrical signal from a phototimer light sensing portion reaches reference voltage The touch panel which detects analyte posture is prepared in the X-ray input screen of a camera base, and it is characterized by having the means which can choose automatically the phototimer light sensing portion which was suitable for analyte posture from said two or more phototimer light sensing portions with the detecting signal of a touch panel. [0008] The X-rays equipment of this invention is constituted as mentioned above, a touch panel detects the field of the part touched by attaching a touch panel in the image reception area of a camera base, and since the phototimer light sensing portion suitable for the part is chosen automatically, the need that a way person switches manually is lost. [0009]

[Embodiment of the Invention] One example of the X-rays equipment of this invention is explained referring to <u>drawing 1</u>. This equipment consists of X-ray tube 1, the touch panel 4 attached in the front face of an input of the mirror camera MC for photofluorography, and this mirror camera MC, the phototimer light sensing portion 5 which takes up the light of the X-ray image on a fluorescent screen, a phototimer

control section which performs automatic exposure control, a touch panel controller 17, and an X-ray high-voltage transformer assembly 16, and the phototimer control section consists of a circuit changing switch 18, the integrating capacitor 12, a concentration setter 14, a comparator 13, and a switch 15.

[0010] The touch panel 4 currently used for this invention is attached in the front face of the image reception area in which the X-ray image which penetrated the analyte 3 of the hood 9 of the mirror camera MC for photofluorography carries out incidence. This touch panel 4 is a thing using the touch location detection method of an ultrasonic surface-acoustic-waves method, is the glass panel plate whose light transmittance is about about 90%, and is stuck, set and used for a CRT monitor, the display side of a LCD monitor, etc. Here, although it does not need to be transparent, since the lighting range of the phototimer light sensing portion 5 is displayed on the X-ray incidence side front face of the hood 9 of a mirror camera MC, this is observable.

[0011] As this touch panel 4 is shown in drawing 2, the surface acoustic waves with which each slit of propagation and a reflective array reflected the reflective array top as surface acoustic waves, and the supersonic wave generated from the ultrasonic radiator (the X-radiator 19, Y-radiator 21) in the corner of a panel spread to all the corners of a panel, and spread the panel top are collected by the reflective array of the opposite side, and return to a carrier pendulum (X-carrier pendulum 20, Y-carrier pendulum 22). In the surface acoustic waves which pass along the minimum distance a then, and the surface acoustic waves which pass along the longest distance c, if time difference was produced in time of concentration and the analyte section has touched in the B point in the time difference, the surface acoustic waves which pass along b will be absorbed by the analyte section, and will be recognized by the carrier pendulum as return and location detection data as a reduced wave. The amount of the surface acoustic waves absorbed by the analyte section can also be recognized as Z direction data. Drawing 3 shows a time change of the dispatch signal 23 and input signal 24 on the strength. CPU of the touch panel controller 17 changes this time location into X coordinate and Y coordinate.

[0012] Next, actuation of the X-rays equipment of this invention is explained. First, analyte 3 is located on a camera base and pushes the body against a touch panel 4 by the posture to photo. Although <a href="mailto:drawing\_4">drawing\_4</a> shows the page [ of the image reception area in 30 / 27th ] touch part 29 at least for a thorax forward surface part and <a href="mailto:drawing\_5">drawing\_5</a> shows the touch part 28 to the image reception area 27 in the case of the thorax side-face part 31, it is shown that these <a href="mailto:drawing\_5">drawing\_5</a> need selection of the lighting part of the phototimer light sensing portion 5 in order to obtain the optimal film density in transverse-plane photography and side-face photography of a thorax.

[0013] As for a touch panel 4, delivery, and the X coordinate and Y coordinate of a touch part (28 of 29 or <a href="mailto:drawing\_5">drawing\_5</a> of <a href="mailto:drawing\_5">draw

[0014] Roentgenography can begin in this condition. The actuation is the same as conventional equipment, and is irradiated by the visual field size which needs the X-ray beam from X-ray tube 1 at a collimator 2 at a rat tail and analyte 3. The scattered radiation is removed by the grid 6, and incidence of the X-ray which penetrated analyte 3 is carried out to a fluorescent screen 7, and it is changed into a light figure by the transparency X-ray. The lead glass 8 for X-ray protection is formed behind that fluorescent screen 7, and the light figure of a fluorescent screen 7 carries out image formation to the film plane of a camera 11 with the mirror lens 10 in a hood 9 through this lead glass 8. On the other hand, two or more phototimer light sensing portions 5 are formed in the interior of the front upper part of this mirror camera hood 9, and it is set as the device in which each phototimer light sensing portion 5 can receive the light of the specific region of the luminescence side of a fluorescent screen 7.

[0015] Therefore, before taking a photograph, it is automatically chosen with the touch panel controller 17 by the signal from a touch panel 4 (change-over switch 18 of <u>drawing 1</u>), and during photography, one of the phototimer light sensing portions 5 corresponding to the specific region suitable for a photography part catches the light of the specific region of a luminescence side, and it detects the selected phototimer light sensing portion 5 as a current signal proportional to X dosage. It integrates with this current signal to the integrating capacitor 12 of a phototimer control section, and it is inputted into a comparator 13 as a voltage signal. On the other hand, a comparator 13 outputs an X-ray cutoff signal to a switch 15, when the voltage signal and reference voltage with which it integrated from the concentration setter 14 with reference to the reference voltage which determines film density are compared and both are in agreement. In response to this signal, the X-ray high-voltage transformer assembly 16 intercepts the high voltage, and stops the X-ray emission from X-ray tube 1. [0016]

[Effect of the Invention] The X-rays equipment of this invention is constituted as mentioned above, by choosing automatically the phototimer light sensing portion 5 suitable for the posture of analyte by the signal of a touch panel 4, can cancel the complicated activity before a way person's photography, and can obtain the X-ray photograph film of optimum density by X-ray automatic exposure control. [0017]

[Translation done.]

#### \* NOTICES \*

JPO and NCIPI are not responsible for any damages caused by the use of this translation.

- 1. This document has been translated by computer. So the translation may not reflect the original precisely.
- 2.\*\*\*\* shows the word which can not be translated.
- 3.In the drawings, any words are not translated.

## **DESCRIPTION OF DRAWINGS**

#### [Brief Description of the Drawings]

- [Drawing 1] It is drawing showing one example of the X-rays equipment of this invention.
- [Drawing 2] It is drawing showing the principle of a touch panel.
- [Drawing 3] It is drawing showing the relation between the input signal of a touch panel, and time amount.
- [Drawing 4] It is drawing showing the condition like the thorax forward surface part of a touch panel.
- [Drawing 5] It is drawing showing the condition of the thorax side-face part of a touch panel.
- [Drawing 6] It is drawing showing the conventional X-rays equipment.
- [Drawing 7] It is drawing showing the division light sensing portion of an image reception area.

## [Description of Notations]

- 1 -- X-ray tube 2 -- Collimator
- 3 -- Analyte 4 -- Touch panel
- 5 -- Phototimer light sensing portion 6 -- Grid
- 7 -- Fluorescent screen 8 -- Lead glass
- 9 -- Hood 10 -- Mirror lens
- 11 -- Camera 12 -- Integrating capacitor
- 13 -- Comparator 14 -- Concentration setter (reference voltage)
- 15 -- Switch 16 -- X-ray high-voltage transformer assembly
- 17 -- Touch panel controller 18 -- Change-over switch
- 19 -- X-radiator 20 -- X-carrier pendulum
- 21 -- Y-radiator 22 -- Y-carrier pendulum
- 23 -- Dispatch signal 24 -- Input signal
- 25 -- Light sensing portion for thorax transverse planes 26 -- Light sensing portion for thorax side faces
- 27 -- Image reception area 28 29 -- Touch part
- 30 -- About a thorax forward surface part 31 -- Thorax side-face part
- MC -- Mirror camera

[Translation done.]

## (19)日本国特許庁(JP)

# (12) 公開特許公報(A)

(11)特許出願公開番号 特開2000-23959

(P2000-23959A)

(43)公開日 平成12年1月25日(2000.1.25)

(51) Int.CL.7		識別記号	ΡI			テーマコード(参考)
A61B	6/00	320	A 6 1 B	6/00	3 2 0 M	4 C 0 9 2
H05G	1/44		H05G	1/44	Z	4 C 0 9 3

## 審査請求 未請求 請求項の数1 OL (全 5 頁)


(21)出願番号	特額平10-198906	(71)出顧人 000001993
		株式会社島津製作所
(22)出顧日	平成10年7月14日(1998.7.14)	京都府京都市中京区西ノ京桑原町1番地
		(72)発明者 片山 智祖
		京都市中京区西ノ京桑原町1番地 株式会
		社島津製作所三条工場内
		(74)代理人 100097892
		弁理士 西岡 義明
		Fターム(参考) 40092 AA01 AB03 AB13 AC01 CC03
		CD02 CF11 CF11 DD10
	,	3232 3251 2211 2213
		40093 CA10 FA18 FA59 FD09

## (54) 【発明の名称】 X線撮影装置

## (57)【要約】

【課題】被検者が撮影体位で撮影台に接触するだけで、 複数のフォトタイマ受光部の選択が自動的に行われるX 線撮影装置を提供する。

【解決手段】被検体3が撮影体位でタッチパネル4に触れると、その信号によりタッチパネル制御器17のCPUが、X-Y座標を演算し接触面を認識して、複数のフォトタイマ受光部5から最適なフォトタイマ受光部を選択し、切換スイッチ18を自動的に切り換えて、撮影に入る。X線管1からのX線はコリメータ2で絞られ、被検体3を透過してグリッド6で散乱線が除去され、蛍光板7で光像に変換される。鉛ガラスを通して発光する光の特定部分のみを、フォトタイマ受光部5で捉え、その電気信号を積分コンデンサ12で積分し、その電圧と濃度設定器14の基準電圧を比較器13に入力し、両者の電圧が同じになった時、スイッチ15に高電圧遮断信号を送り、X線高電圧発生装置16の高圧を遮断し、X線放射を停止することにより、最適濃度でX線写真を撮ることができる。



10

#### 【特許請求の範囲】

【請求項1】被検体の透過X線を検出する複数のフォト タイマ受光部と、フォトタイマ受光部からの電気信号の 積分値が基準電圧に達したときX線遮断信号を高電圧装 置に送るフォトタイマ制御回路とを備えたX線撮影装置 において、撮影台のX線入力面に被検体体位を検出する タッチパネルを設け、タッチパネルの検出信号により前 記複数個のフォトタイマ受光部から被検体体位に適した フォトタイマ受光部を自動的に選択することができる手 段を備えることを特徴とするX線撮影装置。

#### 【発明の詳細な説明】

#### [0001]

【発明の属する技術分野】本発明は、X線撮影装置に関 し、特にX線写真撮影時のフイルム濃度を自動的に最適 に制御する自動露出制御に関する。

#### [0002]

【従来の技術】X線写真撮影における自動露出制御装置 はほとんどの間接撮影に用いられ、胸部、腹部などの直 接撮影にも広く利用されている。自動露出制御装置は、 撮影時間を自動制御することによりフイルム濃度を一定 20 に保つように作動するもので、被検体を透過したX線量 を電気信号に変換し、この電気量が一定値に達したとき X線を遮断し、希望するフイルム濃度を得ようとするも のである。

【0003】図6に従来の胸部の集団検診に用いるX線 間接撮影用のミラーカメラMCを用いた自動露出制御の X.線撮影装置について説明する。 X線管1からのX線ビ ームがコリバータ 2で必要な視野サイズに絞られ被検体 3に照射される。被検体3を透過したX線はグリッド6 で散乱線が除去され蛍光板7に入射し、透過X線により 光像に変換される。その蛍光板7の後ろにX線防護のた めの鉛ガラス8が設けられ、この鉛ガラス8を通してフ ード部9内のミラーレンズ10により蛍光板7の光像が カメラ11のフイルム面に結像する。一方、このミラー カメラMCのフード部9の前方上方内部に複数のフォト タイマ受光部5が設けられており、蛍光板7の発光面の 特定領域の光をそれぞれのフォトタイマ受光部5が受光 できる機構に設定されている。従って撮影する前に、撮 影部位に適した特定領域に対応したフォトタイマ受光部 5の一つを、制御パネル上で術者が手動で選択 (図6の 切換スイッチ18) する。

【0004】図7に胸部撮影の場合の撮影部位に適した 特定領域の配置を示した。胸部正面用では、両肺の幅の 広い部分の2個所の胸部正面用受光部25が使われてお り、胸部側面用では、縦長の中央部分の胸部側面用受光 部26が使われている。撮影中、選択されたフォトタイ マ受光部5は、発光面の特定領域の光を捉え、X線量に 比例した電流信号として検出する。この電流信号はフォ トタイマ制御部(切換スイッチ18と積分コンデンサ1

ら構成される制御部) に入力され、このフォトタイマ制 御部の積分コンデンサ12に積分され電圧信号として比 較器13に入力される。一方比較器13は濃度設定器1 4からフイルムの濃度を決定する基準電圧を参照して、 積分された電圧信号と基準電圧を比較し両者が一致した ときにスイッチ15にX線遮断信号を出力する。X線高 電圧発生装置16はこの信号を受けて、高電圧を遮断 し、X線管1からのX線放射を停止させる。

## [0005]

【発明が解決しようとする課題】従来のX線撮影装置は 以上のように構成されているが、フォトタイマ受光部5 は被検体の色々な体位に対応するため複数の受光部が設 けられており、撮影前に術者が制御パネル上で手動で切 り換えており、被検体の I D登録、撮影電圧や撮影電流 の設定等、色々な作業が撮影前にあり、フォトタイマ受 光部5の切換を間違えるという問題がある。胸部集団検 診等の被検者の多い場合には、受光部の切換ミスを防ぐ ため、例えば胸部正面と胸部側面の撮影の場合、側面用 の受光部が選択されているときにブザーを鳴らすなどの 方法がとられているが、その場合衛者が手動で切り換え なければならないという問題がある。

【0006】本発明は、このような事情に鑑みてなされ たものであって、術者が手動でホトタイマ受光部5を切 り換えなくても、自動で切換ができるX線撮影装置を提 供することを目的とする。

#### [0007]

【課題を解決するための手段】上記の目的を達成するた め、本発明のX線撮影装置は、独像体の透過X線を検出 する複数のフォトタイマ受光部と、フォトタイマ受光部 からの電気信号の積分値が基準電圧に達したときX線連 断信号を高電圧装置に送るフォトタイマ制御回路とを備 えたX線撮影装置において、撮影台のX線入力面に被検 体体位を検出するタッチパネルを設け、タッチパネルの 検出信号により前記複数個のフォトタイマ受光部から被 検体体位に適したフォトタイマ受光部を自動的に選択す ることができる手段を備えることを特徴とする。

【0008】本発明のX線撮影装置は上記のように構成 されており、タッチパネルを撮影台の受像面に取り付け ることにより、タッチする部分の領域をタッチパネルが 検知して、その部位に適したフォトタイマ受光部を自動 的に選択するので、術者が手動で切り換える必要が無く なる。

## [0009]

【発明の実施の形態】本発明のX線撮影装置の一実施例 を図1を参照しながら説明する。本装置はX線管1と、 間接撮影用のミラーカメラMCと、このミラーカメラM Cの入力前面に取り付けられたタッチパネル4と、蛍光 板上のX線像の光をピックアップするフォトタイマ受光 部5と、自動露出制御を行なうフォトタイマ制御部と、 2と濃度設定基準器14と比較器13とスイッチ15か 50 タッチパネル制御器17と、X線高電圧発生装置16と

1

から構成され、フォトタイマ制御部は切換えスイッチ18と積分コンデンサ12と濃度設定器14と比較器13とスイッチ15から構成されている。

【0010】本発明に使用されているタッチパネル4は、間接撮影用ミラーカメラMCのフード部9の、被検体3を透過したX線像の入射する受像面の前面に取り付けられている。このタッチパネル4は超音波表面弾性波方式のタッチ位置検出方式を利用したもので、光透過率がほぼ90%程度のガラス製のパネルプレートで、CRTモニタやLCDモニタのディスプレイ面等に貼りあわ 10せて使われる。ここでは透明である必要はないが、ミラーカメラMCのフード部9のX線入射側表面にフォトタイマ受光部5の採光範囲が表示されているので、これを観察することができる。

【0011】このタッチパネル4は図2に示すように、 パネルの隅にある超音波発振子 (X-発振子19、Y-発振子21)から発生する超音波が、表面弾性波として 反射アレイ上を伝わり、反射アレイの各スリットにより 反射され、パネルの隅々まで行き渡り、パネル上を行き 渡った表面弾性波は、対辺の反射アレイにより集約さ れ、受振子(X-受振子20、Y-受振子22)に戻 る。その時最短距離aを通る表面弾性波と最長距離cを 通る表面弾性波では、到達時間に時間差を生じ、その時 間差の中でB点で被検体部がタッチしていると、bを通 る表面弾性波は被検体部に吸収され、弱まった波形とし て受振子に戻り、位置検出データとして認識される。そ の被検体部に吸収される表面弾性波の量を、乙方向デー タとして認識することもできる。 図3はその発信信号2 3と受信信号24の時間的な強度変化を示す。この時間 的な位置をX座標、Y座標にタッチパネル制御器17の CPUが変換する。

【0012】次に、本発明のX線撮影装置の操作について説明する。まず、被検体3が撮影台に立ち、撮影する体位でタッチパネル4に体を押しつける。図4は、胸部正面部位30の場合の受像面27面へのタッチ部分29を示し、図5は、胸部側面部位31の場合の受像面27へのタッチ部分28を示しているが、これら図4、図5は胸部の正面撮影と側面撮影において、最適フイルム濃度を得るためにフォトタイマ受光部5の採光部分の選択が必要であることを示している。

【0013】まずタッチパネル4はそのタッチ信号をタッチパネル制御器17のCPUに送り、その被検体のタッチ部分(図4の29または図5の28)のX座標とY座標が、タッチパネル制御器17のCPUにて読み取られる。この座標パターンを認識して複数のフォトタイマ受光部5のうちから、最適な採光範囲を持つフォトタイマ受光部5を選択する。図1では、胸部正面用と胸部側面用の2つのフォトタイマ受光部5が備えられた場合を示す。その選択のための切換スイッチ18が、タッチパネル制御器17の信号で切り換えられる。切換スイッチ50

18はフォトタイマ受光部5の切換と、それに適したフィルム濃度を決める濃度設定器14の基準電圧を切り換える。切換スイッチ18の動作は自動的に行なわれ、術者が手動で設定する必要が無い。

【0014】この状態でX線撮影が始められる。その動作は従来の装置と同じで、X線管1からのX線ビームがコリメータ2で必要な視野サイズに絞られ、被検体3に照射される。被検体3を透過したX線はグリッド6で散乱線が除去され蛍光板7に入射し、透過X線により光像に変換される。その蛍光板7の後ろにX線防護のための鉛ガラス8が設けられ、この鉛ガラス8を通してフード部9内のミラーレンズ10により蛍光板7の光像がカメラ11のフイルム面に結像する。一方、このミラーカメラフード部9の前方上方内部に複数のフォトタイマ受光部5が設けられており、蛍光板7の発光面の特定領域の光をそれぞれのフォトタイマ受光部5が受光できる機構に設定されている。

【0015】従って撮影する前に、撮影部位に適した特定領域に対応したフォトタイマ受光部5の一つが、自動的にタッチパネル4からの信号でタッチパネル制御器17で選択されており(図1の切換スイッチ18)、撮影中、選択されたフォトタイマ受光部5は、発光面の特定領域の光を捉え、X線量に比例した電流信号として検出する。この電流信号はフォトタイマ制御部の積分コンデンサ12に積分され電圧信号として比較器13に入力される。一方、比較器13は濃度設定器14からフイルム濃度を決定する基準電圧を参照して、積分された電圧信号と基準電圧を比較し両者が一致したときにスイッチ15にX線遮断信号を出力する。X線高電圧発生装置10はこの信号を受けて、高電圧を遮断し、X線管1からのX線放射を停止させる。

[0016]

【発明の効果】本発明のX線撮影装置は上記のように構成されており、被検体の体位に適したフォトタイマ受光部5を、タッチパネル4の信号で自動的に選択することによって、術者の撮影前の煩雑な作業が解消でき、X線自動露出制御により最適濃度のX線写真フイルムを得ることができる。

[0017]

40 【図面の簡単な説明】

【図1】 本発明のX線撮影装置の一実施例を示す図である。

【図2】 タッチパネルの原理を示す図である。

【図3】 タッチパネルの受信信号と時間との関係を示す図である。

【図4】 タッチパネルの胸部正面部位の状態を示す図 である。

【図5】 タッチパネルの胸部側面部位の状態を示す図 である。


50 【図6】 従来のX線撮影装置を示す図である。


.

「図7 】 受像面の分割受光部を表 【符号の説明】	示す図である。	17…タッチバネル制御器 ッチ	18…切換スイ
1…X線管	2…コリメータ	19…X-発振子	20…X-受振
3…被検体	4…タッチパネ	子	
ル		21…Y- <b>発振子</b>	22…Y- <b>受振</b>
5…フォトタイマ受光部	6…グリッド	子	•
7…蛍光板	8…鉛ガラス	23···発信信号	2 4 … 受信信号
9…フード部	10…ミラーレン	25…胸部正面用受光部	26…胸部側面
ズ		用受光部	
11…カメラ	12…積分コン 10	27…受像面	28、29···タ
デンサ		ッ <del>チ部</del> 分	
1 3…比較器	14…濃度設定	30…胸部正面部位	31…胸部側面
器(基準電圧)		部位	
15…スイッチ	16…X線高電	MC…ミラーカメラ	
圧発生装置			


# 【図1】

## 【図2】





【図6】



【図7】

